



Let's Switch to Brighter World

LIGHTING UP YOUR

IMAGINATION



Let's Switch to Brighter World

Mfg. By : **RATNAKAR RATNAMANI INDUSTRIES**

Ahmedabad-382415. (Gujarat) INDIA

Customer Care : info@rfiveindia.com Web : www.rfiveindia.com

FOR MORE INFORMATION



PRODUCT CATALOGUE JAN 2025

ABOUT US

“THE
R FIVE
STORY
POWERING
PROGRESS”

R FIVE is known to Bring Revolutionary Ideas to the Concept of Electrical Accessories Manufacturing . RATNAKAR RATANAMANI INDUSTRIES is the largest Manufacturer of Electrical Accessories items in India.

Established in 2017 in Gujarat, Ahmedabad. R-Five Brand is Built on Competitive Pricing, Quality Products and Superior Customer Service.

Our Products Range of Cable Tie, Cable Clips, Metal Gang Box, Orion Surface Box, Modular Silver line box, Modular Box, Fan sheet, Round sheet, Electrical Tape, Dry Wall Screw, Wall Plug (Gitti), Flood Light, Street Light, Panel Light, Bulb Holder , Strip Light, Rope Light etc.

Included in our Commitment to Continuous Improvement, our Production Processes are Engineered to Maximize the use of Automation and Respond Quickly to Changes, Whether Our Production Runs are Short or Long. We are using High Quality Chinese Raw Material for our Production. The Entire Range of Products is Designed and Developed using Advanced level of Technology And Standard Components to meet the Requirements of the Modern era.

Thus, We are Well-prepared with the Available Resources to Keep place with the modern Trend and Industrial Standards.

FLOOD LIGHT



SPARK
FLOOD LIGHT

POWERFUL LIGHTING,
PERFECT CLARITY

SPARK FLOOD LIGHT DOB SERIES - DRIVERLESS

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RF SP 2010	30W	3000LM	WHITE	20
RF SP 2011	50W	5000LM	WHITE	20
RF SP 2012	100W	10000LM	WHITE	10
RF SP 2013	150W	15000LM	WHITE	10
RF SP 2014	200W	20000LM	WHITE	05

Input Voltage 110-270 VAC | Input Frequency 50/60 HZ | CRI >80 | Protection Level IP66 | Power Factor >0.95 the : <15



LED FLOOD LIGHT LENS MODEL



ITEM CODE	WATT	LUMENS	COLOUR	PKG
R1705	30W	3000LM	WW/NW/CW	30
R1706	50W	5000LM	WW/NW/CW	20
R1707	100W	10000LM	WW/NW/CW	14
R1708	150W	15000LM	WW/NW/CW	10
R1709	200W	20000LM	WW/NW/CW	08

Input Voltage 110-270 VAC | Input Frequency 50/60 HZ | CRI >80 | Protection Level IP66 | Power Factor >0.95 the : <15



LED FLOOD LIGHT GLASS MODEL



ITEM CODE	WATT	LUMENS	COLOUR	PKG
R1705	30W	3000LM	WW/NW/CW	30
R1706	50W	5000LM	WW/NW/CW	20
R1707	100W	10000LM	WW/NW/CW	14
R1708	150W	15000LM	WW/NW/CW	10
R1709	200W	20000LM	WW/NW/CW	08

Input Voltage 110-270 VAC | Input Frequency 50/60 HZ | CRI >80 | Protection Level IP66 | Power Factor >0.95 the : <15



BRINGING
CLARITY
TO EVERY
NIGHT.



LED FLOOD LIGHT

GLIMPRO FLOOD LIGHT DOB SERIES

ITEM CODE	WATT	LUMENS	COLOUR	PKG
WN01A-50W	50W	5000LM	WW/CW	20
WN02A-100W	100W	10000LM	WW/CW	12
WN03A-150W	150W	15000LM	WW/CW	10
WN04A-200W	200W	20000LM	WW/CW	05

Input Voltage 110-270 VAC	Input Frequency 50/60 HZ	CRI >80	Protection Level IP66	Power Factor >0.95 the : <15	
------------------------------	-----------------------------	------------	--------------------------	---------------------------------	---



FIGO - FLOOD LIGHT SERIES (INBUILT DRIVER)

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RF FG 3010	20W	3000LM	WW/NW/CW	20
RF FG 3011	30W	5000LM	WW/NW/CW	10
RF FG 3012	50W	10000LM	WW/NW/CW	10
RF FG 3013	100W	15000LM	WW/NW/CW	5
RF FG 3014	200W	20000LM	WW/NW/CW	3

Input Voltage 110-270 VAC	Input Frequency 50/60 HZ	CRI >80	Protection Level IP66	Power Factor >0.95 the : <15	
------------------------------	-----------------------------	------------	--------------------------	---------------------------------	---



GLINT - FLOOD LIGHT SERIES

ITEM CODE	WATT	LUMENS	COLOUR	PKG
8501GM	30W	3000LM	WW/NW/CW	20
8502GM	50W	5000LM	WW/NW/CW	20
8503GM	100W	10000LM	WW/NW/CW	10
8504GM	150W	15000LM	WW/NW/CW	10
8505GM	200W	20000LM	WW/NW/CW	05

Input Voltage 110-270 VAC	Input Frequency 50/60 HZ	CRI >80	Protection Level IP66	Power Factor >0.95 the : <15	
------------------------------	-----------------------------	------------	--------------------------	---------------------------------	---





BRIGHTEN
ROADS,
LIGHTEN
LIVES

SPARK STREET LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RF SL 01	30W	3000LM	WW	10
RF SL 02	50W	5000LM	WW	10
RF SL 03	72W	7200LM	WW	8
RF SL 04	100W	10000LM	WW	4
RF SL 05	150W	15000LM	WW	4

Input Voltage 110-270 VAC | Input Frequency 50/60 HZ | CRI >80 | Protection Level IP66 | Power Factor >0.95 the : <15



LED STREET LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	PKG
R1701	24W	2400LM	WW	40
R1702	36W	3600LM	WW	30
R1703	50W	5000LM	WW	30
R1704	100W	10000LM	WW	14

Input Voltage 110-270 VAC | Input Frequency 50/60 HZ | CRI >80 | Protection Level IP66 | Power Factor >0.95 the : <15



STRIP LIGHT



Glowline

LED STRIP LIGHT

"Illuminate your space with the brilliance of strip lights, the perfect blend of style and functionality. Whether you're looking to highlight architectural features, create ambient lighting, or add a modern touch to your home or business, strip lights offer versatile solutions.

UNITECH 2835 LED STRIP LIGHT (PURE COPPER PCB HEAVY)

ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	PKG
RF UT2201	DC12V	10 MM / 5 MTR.	WH, NW, WW	60

Led Qty. **240 LED** | CRI **>80** | IP Code **IP20** | Thickness **10 MM**



GLOWLINE 2835 LED STRIP LIGHT

ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	PKG
RF GL2301	DC12V	10 MM / 5 MTR.	WH, NW, WW, BL	100
RF GL2302	DC12V	10 MM / 5 MTR.	GR, RD, PINK	100
RF GL2303	DC12V	10 MM / 5 MTR.	AMBER , ICE BLUE	100

Led Qty. **240 LED** | CRI **>80** | IP Code **IP20** | Thickness **10 MM**

GLOWLINE 2835 LED STRIP LIGHT

ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	PKG
RF GL2304	DC12V	10 MM / 5 MTR.	WH, NW, WW, BL	100
RF GL2305	DC12V	10 MM / 5 MTR.	GR, RD, PINK	100
RF GL2306	DC12V	10 MM / 5 MTR.	AMBER , ICE BLUE	100

Led Qty. **120 LED** | CRI **>80** | IP Code **IP20** | Thickness **10 MM**

GLOWLINE RGB COB STRIP LIGHT WITH REMOTE AND ADAPTER

ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	PKG
RF GL2307	DC12V	10 MM / 5 MTR.	RGB	15 ROLL

* RGB With Different Function





AESTHETIC
WIRELESS ROPE LIGHT

Whether you're decorating for a festive holiday, adding a romantic touch to your patio, or enhancing the safety of a stairway, rope lights offer a practical and visually appealing solution. Their versatility, durability, and energy efficiency make them a popular choice for both residential and commercial applications, providing a unique blend of function and style.

AESTHETIC PLATINUM 2835 LED ROPE LIGHT

Outer Dia. : **10 MM**

ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	PKG
RF PM3001	DC24V	6.8 MM / 50 MTR.	WH, WW, BL, NW	05
RF PM3002	DC24V	6.8 MM / 50 MTR.	GR, RD, IB, AMBER	05
RF PM3003	DC24V	6.8 MM / 50 MTR.	PINK	05

AESTHETIC GOLD 2835 LED ROPE LIGHT

Outer Dia. : **8 MM**

ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	PKG
RF GD3004	DC24V	6.8 MM / 50/30 MTR.	WH, WW, BL	05
RF GD3005	DC24V	6.8 MM / 50/30 MTR.	GR, RD, IB, AMBER	05
RF GD3006	DC24V	6.8 MM / 50/30 MTR.	PINK	05

AESTHETIC SILVER 2835 LED ROPE LIGHT

Outer Dia. : **8 MM**


ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	PKG
RF SL3007	DC24V	6.8 MM / 36 MTR.	WH, WW, BL	05
RF SL3008	DC24V	6.8 MM / 36 MTR.	GR, RD, IB, AMBER	05
RF SL3009	DC24V	6.8 MM / 36 MTR.	PINK	05

AESTHETIC 2835 LED RGB ROPE LIGHT

Outer Dia. : **10 MM**

ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	PKG
RF RGL3010	DC24V	6.8 MM / 50 MTR.	RGB	01

* Adapter to be purchase separately



Ultra Efficient LED Saves Upto 80% energy**.



No Harmful UV/IR Radiation.



Upto 15 times Longer Life Aprx 30000 Hrs Life*.



Strong Aluminium Housing.



Eye Comfort Technology

HIGHER LUMEN
HIGHER BRIGHTNESS




2835
SMD

26
LUMENS
PER LED

IP
65

CRI
>80

120
LED
PER MTR.



UNITECH 2835 LED ROPE LIGHT

Outer Dia. : **10 MM**

ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	PKG
RF UT4001	DC24V	6.8 MM / 50 MTR.	WW, WH, NW, BLUE	04
RF UT4002	DC24V	6.8 MM / 50 MTR.	GREEN, PINK, ICE BLUE, AMBER	04

8 WATT PER METER



ROPE LIGHT ADOPTER

ITEM CODE	WATT	VOLTAGE	AMPS.	COLOUR	PKG
RF AD4003	60W	12V	5A.	WHITE	100



Ultra Efficient LED Saves Upto 80% energy*.



No Harmful UV/IR Radiation.



Upto 15 times Longer Life Aprx 30000 Hrs Life*.



Strong Aluminium Housing.



Eye Comfort Technology

LED POWER SUPPLY



 Short Circuit Protection

 High Voltage Protection

 Open Circuit Protection

YOUR LIGHTS SYNC BETTER
WITH OUR DRIVERS!

LED POWER SUPPLY

VOLTIFY LED POWER SUPPLY

ITEM CODE	WATT	VOLTAGE	AMPS.	COLOUR	PKG
RF VF 2101	60W	12V	5A.	BROWN	100
RF VF 2102	120W	12V	10A.	BROWN	100
RF VF 2103	200W	12V	16.7A.	BROWN	100
RF VF 2104	300W	12V	25A.	BROWN	50



 2 YEAR WARRANTY

BRIGHTIFY LED POWER SUPPLY

ITEM CODE	WATT	VOLTAGE	AMPS.	COLOUR	PKG
RF BF 2105	60W	12V	5A.	GREY	100
RF BF 2106	120W	12V	10A.	GREY	100
RF BF 2107	200W	12V	16.7A.	GREY	50
RF BF 2108	300W	12V	25A.	GREY	50



 2 YEAR WARRANTY

 Short Circuit Protection

 High Voltage Protection

 Open Circuit Protection




NEW LED INDOOR LIGHT

MORE
LIGHT
MORE
BRIGHT

HIGH BRIGHTNESS
& ILLUMINATION

LED INDOOR LIGHT


EDGE PANEL LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	PKG
RPL01	8W	800LM	WH / WW	36
RPL02	15W	1500LM	WH / WW	36
RPL03	15W (6x6)	1500LM	WH / WW	36
RPL04	22W	2200LM	WH / WW	36

2 YEAR
WARRANTY

3 IN 1 EDGE PANEL LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	PKG
RPL01	8W	800LM	3 IN 1	36
RPL02	15W	1500LM	3 IN 1	36
RPL03	15W (6x6)	1500LM	3 IN 1	36
RPL04	22W (6x6)	2200LM	3 IN 1	36

2 YEAR
WARRANTY

FLARE FLAT PANEL LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFPL01R	8W	800LM	WH / WW	40
RFPL01S	8W	800LM	WH / WW	40
RFPL02R	15W	1500LM	WH / WW	40
RFPL02S	15W	1500LM	WH / WW	40
RFPL03R	22W	2200LM	WH / WW	20
RFPL03S	22W	2200LM	WH / WW	20

2 YEAR
WARRANTY



LIGHT THAT
REFLECTS
YOUR TRUE BEAUTY



HIGH BRIGHTNESS & ILLUMINATION



BRILLIANTLY BRIGHT, RADIATING EXCELLENCE WITH HIGH-LUMEN PERFORMANCE.



ROBUST >2.5 Kva SURGE PROTECTION FOR ULTIMATE RESILIENCE

LED INDOOR LIGHT



CREON PANEL LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFCO12W	12W	1146LM	WH / WW / NW	50
RFCO18W	18W	1809LM	WH / WW / NW	50
RFCO24W	24W	2457LM	WH / WW / NW	40
RFCO32W	32W	3612LM	WH / WW / NW	20



GLOW EDGE LED PANEL LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFGE01	8W(RD)	800LM	WH / WW / NW	60
RFGE02	8W(SQ)	800LM	WH / WW / NW	60
RFGE03	15W(RD)	1500LM	WH / WW / NW	40
RFGE04	15W(SQ)	1500LM	WH / WW / NW	40
RFGE05	22W(RD)	2200LM	WH / WW / NW	20
RFGE06	22W(SQ)	2200LM	WH / WW / NW	20
RFGE07	30W(RD)	3000LM	WH / WW / NW	10
RFGE08	30W(SQ)	3000LM	WH / WW / NW	10

Material Aluminium Housing | AC85-305V | PF >0.6



2 X 2 BLAZE BACKLIT PANEL LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFB48W	48W	4800LM	WH	10



Lighting That
Elevates Your Space



Illuminate your space with smart simplicity. Lytix LED Junction Down lights designed for comfort and class, enhancing every room with even lighting and unmatched energy efficiency.

LED INDOOR LIGHT

LYTIX JUNCTION DOWN LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RLDL03	3W	300LM	3K/4K/6.5K/RD/GR/ BL/ PK	100
RLD03	3W	300LM	RGB / 3 IN 1	100
RLDL08	8W	800LM	3K/4K/6.5K/RD/GR/ BL/ PK	100
RLD08	8W	800LM	RGB / 3 IN 1	100



CLARA COB DOWNLIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RCDL03	3W	240LM	3K/6.5K/RD/GR/ BL/ PK	200
RCDL03	3W	240LM	W+WW / RD+BL	200
RCDL07	7W	560LM	3K/6.5K/RD/GR/ BL/ PK	200
RCDL07	7W	560LM	W+WW / RD+BL	200



NIVIO COB JUNCTION LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFNV3W	3W	240LM	WH/WW/NW	100
RFNV3W	3W	240LM	BL/GR/PK	100
RFNV3W	3W	560LM	WH+WW / RD+BL	100
RFNV7W	7W	560LM	WH/WW/NW	100
RFNV7W	7W	560LM	WH+WW	100



Non Isolated Driver 85-300V	PF >0.6	CRI >80	Beam Angle 60	Body Colour White	Protection Level IP20	COB LED CHIP
--------------------------------	------------	------------	------------------	----------------------	--------------------------	-----------------

LIGHT THAT REFLECTS PERFECTION.



REON COB LIGHT COMBINES PRECISION DESIGN WITH POWERFUL PERFORMANCE TO DELIVER FOCUSED, AMBIENT LIGHTING. PERFECT FOR MODERN INTERIORS AND COMMERCIAL SPACES, IT OFFERS ENERGY EFFICIENCY AND LONG-LASTING BRILLIANCE.

LED INDOOR LIGHT


ROPIX COB DOWN LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFRX7W	7W	700LM	3K / 4K	40
RFRX12W	12W	1200LM	3K / 4K	40
RFRX18W	18W	1800LM	3K / 4K	40

Material Heavy Duty Aluminium body + Coating	Body Colour White	CRI >80	Beam Angle 60	Protection Level IP20	COB LED CHIP	2 YEAR WARRANTY
---	----------------------	------------	------------------	--------------------------	-----------------	------------------------

REON COB LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFRO7W	7W	700LM	3K / 4K / 6.5K	40
RFXL12W	12W	1200LM	3K / 4K / 6.5K	40
RFXL18W	18W	1800LM	3K / 4K / 6.5K	40

Material Heavy Duty Aluminium body + Electroplating	CRI >80	Beam Angle 60	Protection Level IP20	COB LED CHIP	 Black Body + Rose Gold	 White Body + Black	 White Body + Rose Gold	2 YEAR WARRANTY

RIVON DEEP DOWN LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFRV7W	7W	700LM	WW/WH/NW	100
RFRV7W	7W	700LM	WH+WW	100

DOB 165-400V	CRI >80	PF >0.9	Protection Level IP20	COB LED CHIP	1 YEAR WARRANTY
-----------------	------------	------------	--------------------------	-----------------	------------------------



Let's Switch to Brighter World



RELIABLE
LIGHT FOR
RELIABLE
SPACES.



ENERGY
SAVING



EXCELLENT
CRI > 80



LONGER-LIFE
Up to 30,000
Burning Hours*



HIGH
LUMEN



SURGE SHIELD
Up to 4 kV**



NO HARMFUL
UV/ IR
Radiation

LED INDOOR LIGHT



Let's Switch to Brighter World



LUSTRA SPOT LIGHT MAKE IN INDIA

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFLSL2W	2W	160LM	WW/NW/WW GR/ED/BL/PK	500



IGNITER LED STRIKER MAKE IN INDIA

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RIS01	3W	300LM	WH / WW	200
RIS02	3W	300LM	BL / PK / GR	200
RIS03	3W	300LM	3 IN 1 / RGB	200



BULK HEAD - LED LIGHT MAKE IN INDIA

ITEM CODE	WATT	LUMENS	COLOUR	PKG
R1710	10W	-	WH / WW	100
R1711	20W	-	WH / WW	100



SURFACE LIGHT

FLAWLESS DESIGN
FOCUS LIGHT,

FLAWLESS DESIGN



LED INDOOR LIGHT

XYLO SURFACE LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFXL7W	7W	700LM	WW/WH/NW	40
RFXL9W	9W	900LM	WW/WH/NW	40
RFXL9W	9W	900LM	CCT / 3 IN 1	40
RFXL15W	15W	1500LM	WW/WH/NW	20
RFXL15W	15W	1500LM	CCT / 3 IN 1	20
RFXL20W	20W	2000LM	WW/WH/NW	20

CRI >80 | Beam Angle 120 | Protection Level IP20 | 2 Year Warranty | COB LED CHIP | EDGE TO EDGE GLOW | TWIST AND LOCK FIT



ZUPER SURFACE LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	PKG
RSLO1	8W	800LM	WH / WW	36
RSLO2	15W	1500LM	WH / WW	36
RSLO3	15W (6x6)	1500LM	WH / WW	36
RSLO4	22W	2200LM	WH / WW	36



3 IN 1 ZUPER SURFACE LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	PKG
RSLO1	8W (4x4)	800LM	3 IN 1	36
RSLO2	15W (5x5)	1500LM	3 IN 1	36
RSLO3	15W (6x6)	1500LM	3 IN 1	36
RSLO4	22W (6 x6)	2200LM	3 IN 1	36



BUILT
GLOW
FOREVER



LUMEO
LED DOWN LIGHT

MORE
LIGHT
MORE
BRIGHT

HIGH BRIGHTNESS
& ILLUMINATION



LED
INDOOR LIGHT




LUMEO - LED DOWN LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFL001	7W	770LM	NW / WW	40
RFL002	12W	1320LM	NW / WW	40
RFL003	18W	1980LM	NW / WW	30/40



2 YEAR
WARRANTY



LUMEO - REFLECTOR

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFRL01	7W	-	CHROME / RGD	200
RFRL02	12W	-	CHROME / RGD	200
RFRL03	18W	-	CHROME / RGD	200



AXIS - LED TRACK LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFAT01	10W	1110LM	3 IN 1	40
RFAT02	20W	2200LM	3 IN 1	40
RFAT03	30W	3300LM	3 IN 1	30

BODY COLOUR : BLACK / WHITE

2 YEAR
WARRANTY



AXIS - LED SPOT LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFAS01	10W	1110LM	3 IN 1	40
RFAS02	20W	2200LM	3 IN 1	40
RFAS03	30W	3300LM	3 IN 1	30

BODY COLOUR : BLACK / WHITE

2 YEAR
WARRANTY



Energy Saving upto


85%

105lm/w
Easy on eyes
Longer life

URBAN GLOW,
INSPIRED BY THOUGHT.

LED BULB



LUMIXIA LED BULB 

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFLB9W	9W	945LM	WH	100
RFLB12W	12W	1260LM	WH	40
RFLB15W	15W	1575LM	WH	40
RFLB18W	18W	1890LM	WH	50

1 YEAR
WARRANTY



VOLTMAX HIGH WATTAGE LED BULB 

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFVB20W	20W	2100LM	WH / WW	30
RFVB30W	30W	3150LM	WH / WW	20
RFVB40W	40W	4200LM	WH / WW	20
RFVB50W	50W	5250LM	WH / WW	20

1 YEAR
WARRANTY



GLORAY EMERGENCY LED BULB 

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFGE9W	9W	945LM	WH / WW	100

1 YEAR
WARRANTY

SMART LIGHTING
FOR YOUR
DAILY LIVING.



EASY
INSTALLATION



ENERGY
SAVING




HIGH BRIGHTNESS
SOFT & FLICKER-FREE



4 kV SURGE
PROTECTION

T5 BATTEN LIGHT IS A SLEEK AND ENERGY-EFFICIENT LIGHTING SOLUTION IDEAL FOR BOTH COMMERCIAL AND RESIDENTIAL SPACES. WITH ITS SLIM PROFILE AND BRIGHT, UNIFORM ILLUMINATION, IT ENHANCES VISIBILITY WHILE MAINTAINING A MODERN AESTHETIC. EASY TO INSTALL AND LONG-LASTING, THE T5 BATTEN IS PERFECT FOR UNDER-CABINET LIGHTING, WORKSPACES, AND AMBIENT LIGHTING APPLICATIONS.

NEOBAR
BATTEN LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFNB22W	22W	2200LM	3K / 4K / 6K	80

Material
Plastic
Housing

CRI
>80

Beam Angle
120

Protection Level
IP20

SMD
LED CHIP



ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFNB36W	36W	3600LM	WH	25

Material
Plastic
Housing

CRI
>80

Beam Angle
120

Protection Level
IP20

SMD
LED CHIP



ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFNB52W	52W	5200LM	WH	20

Material
Plastic
Housing

CRI
>80

Beam Angle
120

Protection Level
IP20

SMD
LED CHIP



LED FOOT LIGHT



BRIGHT IDEAS FOR YOUR PATH



MADE IN INDIA

CODE	DESCRIPTION	HSN CODE	PKG	BULK PKG.
R1601	H-TYPE FOOT LIGHT	94051020	20	400

AVAILABLE IN SIX DIFFERENT COLORS
 WHITE WARM WHITE PINK GREEN RED BLUE

1 YEAR WARRANTY



MADE IN INDIA

CODE	DESCRIPTION	HSN CODE	PKG	BULK PKG.
R1602	S-TYPE FOOT LIGHT	94051020	20	400

AVAILABLE IN SIX DIFFERENT COLORS
 WHITE WARM WHITE PINK GREEN RED BLUE

1 YEAR WARRANTY



MADE IN INDIA

CODE	DESCRIPTION	HSN CODE	PKG	BULK PKG.
R1603	SMILY TYPE FOOT LIGHT	94051020	20	400

AVAILABLE IN SIX DIFFERENT COLORS
 WHITE WARM WHITE PINK GREEN RED BLUE

1 YEAR WARRANTY



MADE IN INDIA

CODE	DESCRIPTION	HSN CODE	PKG	BULK PKG.
R1604	3M G-TYPE FOOT LIGHT	94051020	10	200
R1605	4M G-TYPE FOOT LIGHT	94051020	10	200

AVAILABLE IN SIX DIFFERENT COLORS
 WHITE WARM WHITE PINK GREEN RED BLUE

1 YEAR WARRANTY



N E X T G E N

Let's Switch to Brighter World

“NEXTGEN
ILLUMINATION
**SMARTER
INNOVATION**”

NEXTGEN represents the future of lighting innovation, bringing advanced LED solutions that blend efficiency, durability, and style. With a focus on next-generation technology, our LED products are designed to deliver superior brightness, energy savings, and long-lasting performance. From modern homes to commercial spaces, NEXTGEN LEDs redefine illumination by offering eco-friendly designs that ensure maximum comfort and reliability. By choosing NEXTGEN, you step into a brighter tomorrow powered by cutting-edge LED excellence.”



**BRIGHT NIGHTS,
POWERED BY
THE SUN**



**IP65
Water Proof**



**5000mAh
Battery**



**Dusk to
Dawn**



**IR Remote
Control**

SOLUXE SOLAR STREET LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFSSL100W	100W	530LM	WH	10
RFSSL150W	150W	700LM	WH	08
RFSSL200W	200W	780LM	WH	05

WATT	DIMENSION IN MM	BATTERY
100W	395(L) X 205(W) X 60(H)	3.2V, 5000 MAH
150W	500(L) X 230(W) X 75(H)	3.2V, 10000 MAH
200W	630(L) X 248(W) X 175(H)	3.2V, 10000 MAH

Panel Material
Monocrystalline Silicon

Protection Level
IP65

IR Remote Control



RAYLUXE STREET LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
R1801	36W	4680LM	3K / 4K / 6.5K	-
R1802	50W	6500LM	3K / 4K / 6.5K	-
R1803	100W	13000LM	3K / 4K / 6.5K	-



LEGERO HIGHBAY LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFLO100W	100W	11000LM	WH	20
RFLO150W	150W	16500LM	WH	15
RFLO200W	200W	22000LM	WH	12

Input Voltage
110-280 V

Output Voltage
85-264 VAC

CRI
>70

Beam Angle
90°

Power Factor
>0.90





LIGHTING
THAT

DEFINES

ELEGANCE.



A ceiling light is more than just illumination—it's a statement of beauty that transforms your space. With its elegant glow, it highlights every corner, creating an atmosphere of warmth and sophistication. Whether modern or classic, the right ceiling light adds charm to your interiors, making ordinary rooms feel extraordinary. It's not just about brightness; it's about creating a perfect balance of style, comfort, and radiance that enhances the true beauty of your home.



FABIA COB LIGHT WITH REFLECTOR

ITEM CODE	WATT	LUMENS	COLOUR	CUTOUT	PKG
RFFA7W	7W	100LM/WATT	3K / 4K	Ø55	40
RFFA12W	12W	100LM/WATT	3K / 4K	Ø75	40

BODY COLOUR : WHITE + GUN BLACK

Bridgelux
Led Chip

Lifud
Driver

Beam Angle
24°

CRI
>90

Protection Level
IP20

ALL PC
LENS TYPE



OPTILUX MOVABLE SURFACE COB LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFPL7W	7W	700LM	W / WW / NW	-
RFPL12W	12W	1200LM	W / WW / NW	-

BODY COLOUR : BLACK + RGD



FLEXI COB DOWN LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFFX12W	12W	100LM/WATT	3K / 4K	50
RFFX18W	18W	100LM/ WATT	3K / 4K	50

BODY COLOUR : WHITE + WHITE, WHITE + GUN BLACK, + BLACK + BLACK


Bridgelux
Led Chip

Eaglerise
Driver

Beam Angle
50°

CRI
>90

Protection Level
IP20



GARNET LED SPIKE LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
RFGSL7W	7W	700LM	WW	-
RFGSL7W	7W	700LM	RGB	-
RFGSL12W	12W	1200LM	WW	-
RFGSL12W	12W	1200LM	RGB	-



"BRINGING RADIANCE TO THE **GREAT OUTDOORS**"

Enhance your outdoor spaces with sleek, contemporary lighting that combines style and functionality. These black wall-mounted fixtures deliver a unique lighting effect, casting soft, ambient light both upward and downward. Perfect for patios, gardens, pathways, or balconies, they create a warm and welcoming atmosphere while adding a touch of elegance to any setting.



Let's Switch to Brighter World





Let's Switch to Brighter World

"YOUR HOME'S GUARDIAN GLOW"

TWINRAY LED WALL LIGHT

Outdoor 2-way LED lights are excellent for illuminating outdoor spaces while enhancing safety and security. These versatile fixtures provide illumination in two directions, effectively lighting pathways, driveways, and garden areas. Designed with durability in mind, they withstand various weather conditions.



RAYONE LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF019-1	1X1W	UP 90 LM/W	42 x 44 MM	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
-------------------------------	-------------------------------------	----------------	---------	-------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.




TWINRAY LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF019-2	2X1W	UP 90 LM/W	42 x 44 MM	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
-------------------------------	-------------------------------------	----------------	---------	-------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.




B SERIES

TWINRAY LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF019B-2	2X1W	UP 90 LM/W	42 x 44 MM	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
-------------------------------	-------------------------------------	----------------	---------	-------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5
-------------------------------	-------------------------------------	----------------	---------	-------------------



R-41186074 www.bis.gov.in

VERTEX LED WALL LIGHT



ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF020-2	2X1W	UP 90 LM/W	41 x 41 MM	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	
----------------------------------	--	-------------------	------------	----------------------	--

Body Colour : Grey | Master Pack : 100 Pcs.

HEXAGLOW LED WALL LIGHT



ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF021-2	2X1W	UP 90 LM/W	-	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	
----------------------------------	--	-------------------	------------	----------------------	--

Body Colour : Grey | Master Pack : 100 Pcs.

ROUNDRAWY LED WALL LIGHT



ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF025-2	2X1W	UP 90 LM/W	-	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	
----------------------------------	--	-------------------	------------	----------------------	--

Body Colour : Grey | Master Pack : 100 Pcs.

"TRANSFORM OUTDOORS
WITH A **TOUCH OF LIGHT.**"



"LIGHT UP
THE NIGHT
ENHANCE
THE VIEW"

FLEX
LED WALL LIGHT



RAYZ LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF022-1	1X1W	UP 90 LM/W	-	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.

LUXE LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF022-2	2X1W	UP 90 LM/W	-	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------


Body Colour : Grey | Master Pack : 100 Pcs.

SHYN LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF024-1	1X1W	UP 90 LM/W	-	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



B SERIES

FLEX LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF024-2	2X1W	UP 90 LM/W	-	3K	01
BTF024B-2	2X1W	UP 90 LM/W	-	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



Let's Switch to Brighter World

PRISMATIX LED WALL LIGHT




ILLUMINATE

EVERY ANGLE,
PERFECTLY BRIGHT!



Let's Switch to Brighter World




B SERIES

PRISMATIX LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF1025	6X1W	UP 90 LM/W	-	3K	01
BTF1025B	6X1W	UP 90 LM/W	-	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



PRISMATIX LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF1025B-RGB	6X1W	UP 90 LM/W	-	RGB	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.





B SERIES

CRYSTA LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF1027-4	4W	UP 90 LM/W	-	RGB	01
BTF1027B-4	4W	UP 90 LM/W	-	RGB	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.




B SERIES

ORBIX LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF047-4	4W	UP 90 LM/W	-	3K	01
BTF047B-4	4W	UP 90 LM/W	-	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.





**A LEGACY
OF CONTINUOUS
INNOVATION**





B SERIES

EVO LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF2033-1	2W	UP 90 LM/W	-	3K	01
BTF2033B-1	2W	UP 90 LM/W	-	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



B SERIES

LUNA LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF2033B-2	4X1W	UP 90 LM/W	-	3K	01
BTF2033B-2	4X1W	UP 90 LM/W	-	RGB	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



B SERIES

OPTIX LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF2033B-4	8W	UP 90 LM/W	-	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



B SERIES

ZEON LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF2033B-6	12W	UP 90 LM/W	-	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------


Body Colour : Grey | Master Pack : 100 Pcs.





**LIGHT UP THE NIGHT,
DEFINE YOUR SPACE.**

Introducing our PRISMA Wall Light, a sophisticated and durable lighting solution designed to enhance the beauty and functionality of your outdoor spaces. Crafted with quality materials and advanced technology, our wall lights provide reliable illumination while adding a touch of elegance to your home's exterior.




B SERIES

PRISMA LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
1081-2	2W	UP 90 LM/W	-	3K	01
1081B-2	2W	UP 90 LM/W	-	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



B SERIES

GRIDO LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF028-4	4W	UP 90 LM/W	-	3K	01
BTF028B-4	4W	UP 90 LM/W	-	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



ELYTE LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BZF01-1	3W	UP 90 LM/W	-	3K	01
BZF03-2	3W	UP 90 LM/W	-	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



LENZO LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
1089	5W	UP 90 LM/W	-	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.




GLARE LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
BTF031-2	2W	UP 90 LM/W	-	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



CUBO LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	PKG
1066S	3W	UP 90 LM/W	-	3K	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



CRAFTED TO SHINE
BEYOND EXPECTATIONS





Let's Switch to Brighter World

GRACE

LED UPDOWN WALL LIGHT



LIGHTING THAT GREET'S YOU WITH A GLOW.



GRACE LED UPDOWN LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
BTFGR2W	2W	UP 90 LM/W	3K	01
BTFGR2W	2W	UP 90 LM/W	RGB AUTO	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
-------------------------------	-------------------------------------	----------------	---------	-------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



GRACE LED UPDOWN LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
BTFGR4W	4W	UP 90 LM/W	3K	01
BTFGR4W	4W	UP 90 LM/W	RGB AUTO	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
-------------------------------	-------------------------------------	----------------	---------	-------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



GRACE LED UPDOWN LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
BTFGR6W	6W	UP 90 LM/W	3K	01
BTFGR6W	6W	UP 90 LM/W	RGB AUTO	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
-------------------------------	-------------------------------------	----------------	---------	-------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



ROLEX LED OUTDOOR WALL LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	PKG
BTFR4W	4W	UP 90 LM/W	3K	01
RTFR4W	4W	UP 90 LM/W	RGB AUTO	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
-------------------------------	-------------------------------------	----------------	---------	-------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.























Let's Switch to Brighter World

LIGHTING UP YOUR MOMENTS.

LED aluminum housing profiles are essential components for modern LED lighting applications. They provide structural support and aesthetic appeal, ensuring durability, heat dissipation, and improved light diffusion for LED strips. Typically made from high-grade aluminum, these profiles are lightweight, corrosion-resistant, and long-lasting, making them ideal for both indoor and outdoor lighting projects.

	BODY SIZE	ITEM	LENGTH / PER PC.	QTY. / PER CARTON
		YF839A/10MM CC	2 MTR.	400
		YF839/10MM SF	2 MTR.	400
		YF123A/14MM CC	2 MTR.	400
		YF123C/14MM SF	2 MTR.	400
		YF801E/25MM CC	2 MTR.	400
		YF801E/25MM CC	3 MTR.	300
		YF802E/25MM SF	2 MTR.	400
		YF802E/25MM SF	3 MTR.	300
		YF870/5MM CC	2 MTR.	600

	BODY SIZE	ITEM	LENGTH / PER PC.	QTY. / PER CARTON.
		YF841/5MM SF	2 MTR.	600
		YF102E/17MM CC 35 GRAM	2 MTR.	400
		YF102E/17MM CC 35 GRAM	3 MTR.	600
		YF103E/17MM SF 35 GRAM	2 MTR.	400
		YF103E/17MM SF 35 GRAM	3 MTR.	600
		YF102C/17MM CC 60 GRAM	2 MTR.	400
		YF103C/17MM SF 60 GRAM	2 MTR.	400
		YF121/CORNER	2 MTR.	400

